

80X160CM 09MM



mayyas

2024- 25




CLEARANCE SALE


EMPERO ONYX

mayyas

80X160cm 09mm

Random - Polished






CLEARANCE SALE


GALAXY WHITE

mayyas

80X160cm 09mm

Random- Polished






CLEARANCE SALE

ONICE IVORY

mayyas

80X160cm 09mm

Random - Polished






CLEARANCE SALE

BRILLIANT WHITE SHINE

mayyas

80X160cm 09mm

Random- Matt Carving



BRILLIANT WHITE




CLEARANCE SALE

SANDSTONE CREMA

mayyas

80X160cm 09mm

Random - Matt





CLEARANCE SALE

TERAZO GREY

mayyas

80X160cm 09mm

Random - Matt



A large, semi-transparent, dark red watermark of the letter 'M' is centered on the page. It is composed of two vertical bars and two diagonal bars that meet at the top and bottom.

POLISHED



ARISTO STATUARIO

mayyas

80X160cm 09mm

Random- Polished






CRSM 117

mayyas

80X160cm 09mm
Random - Polished






CRSM 128

mayyas

80X160cm 09mm
Random- Polished





HONEY ONYX

mayyas

80X160cm 09mm
Random- Polished







MILKY PEARL

mayyas

80X160cm 09mm
Random- Polished






ROBINSON WHITE

mayyas

80X160cm 09mm
Random- Polished





HIGH POLISHED



AFRICANO NERO

mayyas

80X160cm 09mm
Random - High Polished







ANTICA MOCA

mayyas

80X160cm 09mm
Random - High Polished






BIANCO LASA

mayyas

80X160cm 09mm
Random - High Polished






LAURENT BLACK

mayyas

80X160cm 09mm
Random - High Polished








METONADE BROWN

mayyas

80X160cm 09mm
Random - High Polished





PORTORO ARGENTO

mayyas

80X160cm 09mm
Random - High Polished





TRAVERTINO TEXO
BROWN

mayyas

80X160cm 09mm
Random - High Polished






VOLGA BLUE


mayyas

80X160cm 09mm
Random- Polished



A large, stylized letter 'M' graphic composed of four vertical bars of varying heights and widths, creating a sense of depth and shadow. The bars are dark red and set against a lighter red background.

MATT





AZURE BIANCO

mayyas

80X160cm 09mm

Random - Matt






AZURE MOCA

mayyas

80X160cm 09mm

Random - Matt





AZURE NERO

mayyas

80X160cm 09mm

Random - Matt







BARERA BEIGE

mayyas

80X160cm 09mm

Random - Matt





NORWAY CEMENTO
BIANCO

mayyas

80X160cm 09mm
Random- Carving Matt






TRAVERT ROCK BEIGE

mayyas

80X160cm 09mm
Random- Carving Matt





TRAVERT ROCK GREY

mayyas

80X160cm 09mm
Random- Carving Matt



TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MAYYAS VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in Length & Width	±0.5 %	±0.2 %	ISO- 10545-2
Deviation in Thickness	±5.0 %	±4.0 %	ISO- 10545-2
Straightness in side	±0.5 %	±0.2 %	ISO- 10545-2
Rectangularity	±0.5 %	±0.2 %	ISO- 10545-2
Surface flatness	±0.5 %	±0.2 %	ISO- 10545-2
Color difference	Unaltered	No change	ISO- 10545-16
Glossiness	As per mfg.	Min 90 %	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05 %	ISO- 10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO- 10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO- 10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO- 10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg.	Min. Class 3	ISO- 10545-7
MOH's hardness	As per mfg.	Min. Class 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO- 10545-12
Thermal shock resistance	No damage	No damage	ISO- 10545-9
Moisture expansion	Nil	Nil	ISO- 10545-10
Thermal expansion (COE)	Max 9.0 x 10 ⁻⁶	Max 6.5 x 10 ⁻⁶	ISO- 10545-8
Crazing resistance	As per mfg.	Min. 10 cycle	ISO- 10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO- 10545-13
Stain resistance	Resistant	Resistant	ISO- 10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO- 10545-17
Fire resistance	As per mfg.	Fireproof	N. A
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO- 10545-15
SIZE	THICKNESS	TILE / BOX	COVERAGE AREA / BOX
80x160cm	09mm	2 Pcs	2.56 Sq. M



mayyas.ae